

# IFPN Guideline for Skin Preparation of the Surgical Patient

# **Scope of Guideline:**

The practice environment where the surgical patient is treated.

# Scope of Responsibility:

Medical, nursing or clinical staff undertaking the patient skin prep.

# Rationale/Purpose:

To reduce the potential for post-operative wound infection by comprehensive cleansing and disinfection of the patient's skin prior to surgical intervention.

# **GUIDELINE 1:**

### THE OPERATIVE SITE AND SURROUNDING AREAS ARE CLEAN Criteria

- 1. Dirt and debris are removed before patient arrival in the operating room by as appropriate:
  - Patient shower or sponge
  - Cleansing the operative site

Rationale: Removal of superficial soil, debris and transient microbes before applying the anti-microbial agent(s) reduces the risk of wound contamination by decreasing organic debris on the skin

- 2. Assessment and documentation of the operative site is made before the skin is surgically prepared eq.:
  - Skin integrity
  - o Presence of lesions moles, warts, rashes etc

Rationale: Inadvertent removal traumatises the skin and creates potential for wound colonisation by micro-organisms

- 3. Hair removal from operative site occurs only if necessary. Determining factors include:
  - Amount of hair

GUIDELINE STATEMENT NUMBER	DATE RELEASED	DATE REVIEWED	REVIEW FREQENCY	DATE TO REVIEW POLICY
1006	1995	May 2019	Every 4 years	May 2023



## International Federation of Perioperative Nurses

- Location of incision
- Type of surgical procedure to be performed
- 4. Where hair removal is indicated the removal is performed:
  - According to the surgeons orders or facility policy
  - By skilled personnel
  - o In a manner that ensures skin integrity is preserved
    - Clippers and/or depilatory agents are recommended (skin testing is required before using depilatory agents)
    - Shaving is undertaken only when other methods not available wet shaving is preferable
  - As close to the time of surgery as possible
    - To minimise the time available for wound colonisation of micro-organisms at the surgical site

# **GUIDELINE 2:**

#### THE OPERATIVE SITE IS PREPARED WITH AN ANTI-MICROBIAL AGENT

#### Criteria

- 1. The anti-microbial agent should have a broad range of germicidal action spectrum, be non-toxic and provide residual protection.
- 2. Selection of the anti-microbial agent is based on:
  - Patient sensitivity
    - Anti-microbial agents used on skin with a known hypersensitivity reactions may cause adverse patient outcomes - agents may be absorbed by skin or mucous and cause toxic reactions
  - Skin condition at operative site eq.
    - Burn site normal saline
    - Colostomy site isolated or covered with anti-microbial soaked sponge
    - Mucous membranes anti-microbial agent or antiseptic agent only

## **GUIDELINE 3:**

## SKIN PREPARATION IS PERFORMED BY SKILLED PERSONNEL

## Criteria

- 1. Skin preparation requires consideration of:
  - Length of initial incision
  - o Requirement to extend initial incision and/or make additional incisions
  - Drain sites required
  - Drape fenestration size
  - Preservation of skin integrity

GUIDELINE STATEMENT NUMBER	DATE RELEASED	DATE REVIEWED	REVIEW FREQENCY	DATE TO REVIEW POLICY
1006	1995	May 2019	Every 4 years	May 2023



- Maintenance of aseptic technique
- Prevention of pooling/reduction of hazards

## **GUIDELINE 4:**

# SKIN PREPARATION IS DOCUMENTED IN THE PATIENTS RECORD

## Criteria

- 1. Record of skin preparation may include but is not limited to:
  - Skin condition/cleanliness
  - o Hair removal (if performed) including method of removal and area
  - o Skin preparation used i.e. cleansing agent, solvent, antiseptic agent
  - Person undertaking the prep
  - Onset and details of any hypersensitivity reactions

## **GUIDELINE 5:**

Guidelines for skin preparation are included in a readily accessible in Perioperative Unit's Practice Manual and are reviewed at least bi-annually.

## **References:**

- ACORN (2018) Australian College of Perioperative Nurses: Standards for Perioperative Nursing in Australia.
- AfPP (2016) Association for Perioperative Practice: Harrogate UK: **Standards and Recommendations for Safe Perioperative Practice.**
- AORN (2019) American Operating Room Nurses Association: Denver USA: Guidelines for Perioperative Practice.
- ORNAC (2017) Operating Room Nurses Association of Canada: **Standards for Perioperative Nursing**Practice.

GUIDELINE STATEMENT NUMBER	DATE RELEASED	DATE REVIEWED	REVIEW FREQENCY	DATE TO REVIEW POLICY
1006	1995	May 2019	Every 4 years	May 2023